

APTAR HALOPACK Paperboard Tray systems are designed to enhance packaging sustainability for a wide range of fresh, frozen, reheatable, grab-n-go and ovenable food applications. The patented solution is produced with renewable or recycled paperboard and a minimal amount of easily removable film, allowing up to 90% of the overall package to be recycled in existing paperboard streams. APTAR HALOPACK systems offer durability, extended shelf life and attractive product presentation, delivering the benefits of plastic without the environmental impact.



BENEFITS

- Suitable for both dry and high-moisture foods
- Wide range of configurations (skin pack, clamshell, freezable, microwave and ovenable, modified atmosphere packaging (MAP))
- Up to 90% recyclable; uses only 10% removable plastic
- Free of additives, PE-coatings and adhesives
- Manufactured in North America
- Engineered to fit in existing top seal and skin pack equipment with minimal tooling conversion required
- When ready to recycle, trays fold flat, saving recycling bin space for consumers
- Custom printing directly on paperboard (inside and outside package) enables seasonal promotions, provides opportunity for brand differentiation, and eliminates need for additional labels, reducing manufacturing steps associated with label placement.



HALOPACK MAP



HALOPACK OVEN



HALOPACK SKIN




HALOPACK
OCTAGONAL



HALOPACK
DUO-TRAY





HALOPACK
CLAMSHELL



110 x 110 x 035

Product Specifications (+/- 2%)


Top outside length (A)	110 mm
Top outside width (B)	110 mm
Top outside height (C)	035 mm
Base length (D)	079 mm
Base width (E)	079 mm
Side wall height (F)	035 mm
Flange width (G)	010 mm
Volume	229 ml




110 x 110 x 056

Product Specifications (+/- 2%)

Top outside length (A)	110 mm
Top outside width (B)	110 mm
Top outside height (C)	056 mm
Base length (D)	071 mm
Base width (E)	071 mm
Side wall height (F)	056 mm
Flange width (G)	010 mm
Volume	348 ml







168 x 128 x 054

Product Specifications (+/- 2%)


Top outside length (A)	168 mm
Top outside width (B)	128 mm
Top outside height (C)	054 mm
Base length (D)	134 mm
Base width (E)	093 mm
Side wall height (F)	054 mm
Flange width (G)	008 mm
Volume	750 ml




171 x 171 x 058

Product Specifications (+/- 2%)

Top outside length (A)	171 mm
Top outside width (B)	171 mm
Top outside height (C)	058 mm
Base length (D)	126 mm
Base width (E)	126 mm
Side wall height (F)	058 mm
Flange width (G)	013 mm
Volume	1015 ml







172 x 132 x 040

Product Specifications (+/- 2%)


Top outside length (A)	172 mm
Top outside width (B)	132 mm
Top outside height (C)	040 mm
Base length (D)	132 mm
Base width (E)	092 mm
Side wall height (F)	040 mm
Flange width (G)	012 mm
Volume	520 ml




172 x 132 x 063

Product Specifications (+/- 2%)

Top outside length (A)	172 mm
Top outside width (B)	132 mm
Top outside height (C)	063 mm
Base length (D)	124 mm
Base width (E)	084 mm
Side wall height (F)	063 mm
Flange width (G)	012 mm
Volume	792 ml







186 x 136 x 045

Product Specifications (+/- 2%)


Top outside length (A)	186 mm
Top outside width (B)	136 mm
Top outside height (C)	045 mm
Base length (D)	143 mm
Base width (E)	093 mm
Side wall height (F)	045 mm
Flange width (G)	012 mm
Volume	660 ml




188 x 155 x 033

Product Specifications (+/- 2%)

Top outside length (A)	188 mm
Top outside width (B)	155 mm
Top outside height (C)	033 mm
Base length (D)	156 mm
Base width (E)	121 mm
Side wall height (F)	033 mm
Flange width (G)	010 mm
Volume	623 ml







188 x 155 x 043

Product Specifications (+/- 2%)


Top outside length (A)	188 mm
Top outside width (B)	155 mm
Top outside height (C)	043 mm
Base length (D)	152 mm
Base width (E)	117 mm
Side wall height (F)	043 mm
Flange width (G)	010 mm
Volume	809 ml




217 x 165 x 038

Product Specifications (+/- 2%)

Top outside length (A)	217 mm
Top outside width (B)	165 mm
Top outside height (C)	038 mm
Base length (D)	185 mm
Base width (E)	133 mm
Side wall height (F)	038 mm
Flange width (G)	008 mm
Volume	955 ml







217 x 165 x 038 (DUO)

Product Specifications (+/- 2%)


Top outside length (A)	217 mm
Top outside width (B)	165 mm
Top outside height (C)	038 mm
Base length (D)	185 mm
Base width (E)	133 mm
Side wall height (F)	038 mm
Flange width (G)	008 mm
Volume	855 ml




220 x 169 x 021

Product Specifications (+/- 2%)

Top outside length (A)	220 mm
Top outside width (B)	169 mm
Top outside height (C)	021 mm
Base length (D)	186 mm
Base width (E)	135 mm
Side wall height (F)	021 mm
Flange width (G)	13 mm
Volume	476 ml







222 x 170 x 021

Product Specifications (+/- 2%)


Top outside length (A)	222 mm
Top outside width (B)	170 mm
Top outside height (C)	021 mm
Base length (D)	186 mm
Base width (E)	134 mm
Side wall height (F)	021 mm
Flange width (G)	014 mm
Volume	472 ml




222 x 170 x 031

Product Specifications (+/- 2%)

Top outside length (A)	222 mm
Top outside width (B)	170 mm
Top outside height (C)	031 mm
Base length (D)	181 mm
Base width (E)	129 mm
Side wall height (F)	031 mm
Flange width (G)	014 mm
Volume	713 ml







222 x 170 x 042

Product Specifications (+/- 2%)


Top outside length (A)	222 mm
Top outside width (B)	170 mm
Top outside height (C)	042 mm
Base length (D)	179 mm
Base width (E)	127 mm
Side wall height (F)	042 mm
Flange width (G)	014 mm
Volume	980 ml




222 x 170 x 042 (DUO)

Product Specifications (+/- 2%)

Top outside length (A)	222 mm
Top outside width (B)	170 mm
Top outside height (C)	042 mm
Base length (D)	179 mm
Base width (E)	127 mm
Side wall height (F)	042 mm
Flange width (G)	014 mm
Volume	940 ml






222 x 170 x 045

Product Specifications (+/- 2%)


Top outside length (A)	222 mm
Top outside width (B)	170 mm
Top outside height (C)	045 mm
Base length (D)	154 mm
Base width (E)	102 mm
Side wall height (F)	045 mm
Flange width (G)	013 mm
Volume	923 ml




229 x 196 x 050

Product Specifications (+/- 2%)

Top outside length (A)	229 mm
Top outside width (B)	196 mm
Top outside height (C)	050 mm
Base length (D)	187 mm
Base width (E)	154 mm
Side wall height (F)	050 mm
Flange width (G)	010 mm
Volume	1541 ml







229 x 196 x 067

Product Specifications (+/- 2%)


Top outside length (A)	229 mm
Top outside width (B)	196 mm
Top outside height (C)	067 mm
Base length (D)	181 mm
Base width (E)	148 mm
Side wall height (F)	067 mm
Flange width (G)	010 mm
Volume	2034 ml




229 x 191 x 072

Product Specifications (+/- 2%)

Top outside length (A)	229 mm
Top outside width (B)	191 mm
Top outside height (C)	072 mm
Base length (D)	172 mm
Base width (E)	134 mm
Side wall height (F)	072 mm
Flange width (G)	012 mm
Volume	1976 ml







258 x 175 x 013

Product Specifications (+/- 2%)


Top outside length (A)	258 mm
Top outside width (B)	175 mm
Top outside height (C)	013 mm
Base length (D)	228 mm
Base width (E)	145 mm
Side wall height (F)	013 mm
Flange width (G)	012 mm
Volume	342 ml




291 x 171 x 013

Product Specifications (+/- 2%)

Top outside length (A)	291 mm
Top outside width (B)	171 mm
Top outside height (C)	013 mm
Base length (D)	259 mm
Base width (E)	139 mm
Side wall height (F)	013 mm
Flange width (G)	013 mm
Volume	372 ml






305 x 254 x 032

Product Specifications (+/- 2%)


Top outside length (A)	305 mm
Top outside width (B)	254 mm
Top outside height (C)	032 mm
Base length (D)	272 mm
Base width (E)	221 mm
Side wall height (F)	032 mm
Flange width (G)	010 mm
Volume	1839 ml



314 x 257 x 075

Product Specifications (+/- 2%)

Top outside length (A)	314 mm
Top outside width (B)	257 mm
Top outside height (C)	075 mm
Base length (D)	264 mm
Base width (E)	207 mm
Side wall height (F)	075 mm
Flange width (G)	012 mm
Volume	4400 ml



BENEFITS



Designed to Support Sustainability Goals

Produced with renewable or recycled paperboard, widely recyclable in existing paperboard streams



Reduced Food Waste

Hermetically sealed or breathable options to keep food fresh longer and reduce food waste



Broad Applications & Configurations

For dry & high moisture foods and other products; tailored for MAP and SKIN applications



Simple Implementation

Fits existing top seal and skin pack equipment with minimal tooling conversion



Enhanced Marketing Opportunities

360° printing on paperboard enables brand differentiation while reducing labeling materials & processes

KEY APPLICATIONS



GRAB N GO CONVENIENCE



ETHNIC FOODS



READY-TO-EAT



MEAT & SEAFOOD



FRESH CUT PRODUCE

KEY CONTACTS

DR. ANGELA MORGAN

Director & Head of North American Fiber Packaging

+1 770-845-6077 | angela.morgan@aptar.com

NEAL WATSON

VP & General Manager, Aptar Active Material Science

+1 770-328-0640 | neal.watson@aptar.com

CHRISTA BIGGS

Manager of Business Development

+1 256-698-1998 | christa.biggs@aptar.com

JOHNATHAN MALDONADO

Manager, Technical Product Management

+1 469-479-2711 | johnathan.maldonado@aptar.com

BRAD CLUTTER

Global Account Director

+1 720-226-3209 | brad.clutter@aptar.com

PATRICK INNES

Halopack Technical Product Manager

+1 804-895-3461 | patrick.innes@aptar.com

MICHAEL JOHNSTON

Director, Food Protection R&D

+1 470-825-1489 | michael.johnston@aptar.com



SCAN QR CODE TO
ACCESS DIGITAL CATALOG

